



Endura Clay Solar Birdbath Fountain



FM-910SC



Thank you for purchasing one of our products!

If you discover a broken/missing part or lack of information please call us toll free at

1-877-760-8500 ext.701 or

email customerservice@exaco.com.

We will be glad to send you a replacement part. Please do not return the unit without first talking to your retailer.

HOWEVER, if you are missing a box or part of your order, please call the retailer to help trace it. If for any reason you do not want to keep the item you **MUST** call your retailer to discuss your options with them.

Exaco Trading does not handle these issues.

Thank you!

Exaco Trading™ Co.
10203 Metropolitan Dr.
Austin, TX 78758

CARTON CONTENTS



Pedestal



Solar Pump




Base



Basin

ASSEMBLY INSTRUCTIONS

1. Place **BASE** on a flat surface.
Twist the bottom of the **PEDESTAL** into the **BASE** until snug (do not over tighten).
Optional: Add sand to **PEDESTAL**.



2. With the **BASE/PEDESTAL** on a flat surface, twist the **BASIN** into the **PEDESTAL** until snug (do not over tighten).



Exaco Trading™ Co.

ASSEMBLY INSTRUCTIONS

3. Attach SOLAR PUMP to center of BASIN with suction cups.
Remove protective film from solar panel.
Place fountain in sunny location.
Fill BASIN with water.



MAINTENANCE &

CLEANING

Clean as necessary using a mild detergent and a soft cloth.
**SCRUBBING OR USE OF STIFF BRISTLES MAY
DAMAGE THE FINISH.**

PUMP

Your birdbath fountain comes with a high-quality solar pump.

HINTS

TO HELP YOU ENJOY YOUR FOUNTAIN

Keep the water clean.

Do not let the water get too low.

Try the different interchangeable tips.

Put the fountain in a sunny location.

TROUBLE SHOOTING

PUMP CLEANING

- 1) Pull the front panel off of pump.
- 2) Rinse filters under running water to remove debris.

OPTIONAL steps to clean impeller if flow has decreased:

- 3) Pull firmly to remove pump impeller cover.
- 4) Remove pump impeller from the impeller chamber.
- 5) Rinse impeller, impeller cover, and impeller chamber to remove all debris.
- 6) Replace impeller and replace impeller cover.

BE SURE TO REPLACE IMPELLER COVER COMPLETELY OR WATER WILL NOT FLOW.

- 7) Replace filters and front panel.



ABOUT YOUR FOUNTAIN

Congratulations on your purchase of an Exaco Endura Clay fountain!

Your fountain is made of Endura Clay. Endura Clay is a mixture of clay and recycled polymer that is combined and formed under high temperature and extremely high pressure.

Compression-injection molding allows for manufacturing pressures of between 200-1,200 tons - giving Endura Clay incredible strength. Products made from Endura Clay are stronger than products made from traditional methods such as injection molding, roto-molding, blow-molding, or wet casting. This allows the product to be lighter and easier to handle.

The use of recycled polymer not only helps the environment and reduces landfill waste, but also gives Endura Clay elasticity and impact/shatter resistance.

Advanced manufacturing and finishing techniques give the product the ability to be made to look like ceramic, terracotta, concrete/cast stone, natural stone and granite.