









Please check - according to table - if complete



Aluminium parts for front- & backgable

profile	Pos.	designation	quantity / length				
			Riga S			Riga	
			II	III	IV	III	IV
	1.1	Front & Back Floor Profil	2 91.9"	2 91.9"	2 91.9"	2 116.9"	2 116.9"
	2.1	Curved Corner Profile with 1 channel -left-	2	2	2	2	2
	2.1	Curved Corner Profile with 1 channel -right-	2	2	2	2	2
	1.4	Front & Back Crossbars	4 27.6"	4 27.6"	4 27.6"	4 40.2"	4 40.2"
	1.5	Door Support with 8 holes - right side	2 74.1"	2 74.1"	2 74.1"	2 81.3"	2 81.3"
	1.6	Door Support no holes - left side	2 74.1"	2 74.1"	2 74.1"	2 81.3"	2 81.3"
	1.7	Door Frame Top Crossbar	2 29.8"	2 29.8"	2 29.8"	2 29.8"	2 29.8"
	1.9	Rear Wall Middle Crossbar	1 29.8"	1 29.8"	1 29.8"	1 29.8"	1 29.8"




Aluminium parts for eaves

profile	Pos.	designation	quantity / length				
			Riga S			Riga	
			II	III	IV	III	IV
	1.2	Side Floor Profile	2 85.3"	2 127"	2 168.7"	2 127"	2 168.7"
	1.3	Roof Beam Profile	1 84.1"	1 125.8"	1 167.4"	1 125.8"	1 167.4"
	1.8	Roof Window - Crossbar	1 40.1"	1 40.1"	2 40.1"	1 40.1"	2 40.1"
	2.0	Lateral Supports	4 83"	4 124,6"	4 166,3"	4 124,6"	4 166,3"
	2.2	Curved Center Profile with 2 channels	2	4	6	4	6





Aluminium parts for skylight

profile	Pos.	designation	quantity / length				
			Riga S			Riga	
			II	III	IV	III	IV
	5.0	Skylight (roof window) cross-rail	2 41"	2 41"	4 41"	2 41"	4 41"
	5.1	Skylight Side Bar	2 24.8"	2 24.8"	4 24.8"	2 24.8"	4 24.8"






Aluminium parts for Rear Wall Window

profile	Pos.	designation	quantity / length				
			Riga S			Riga	
			II	III	IV	III	IV
	4.2	Vertical Window Support (without holes)	1 43.4"	1 43.4"	1 43.4"	1 50.7"	1 50.7"
	4.3	Horizontal Window Frame Supports	2 30.6"	2 30.6"	2 30.6"	2 30.6"	2 30.6"
	4.4	Vertical Window Supports (with holes)	1 43.4"	1 43.4"	1 43.4"	1 50.7"	1 50.7"

Aluminium parts for divided revolving door -upper section-

profile	Pos.	designation	quantity / length				
			Riga S			Riga	
			II	III	IV	III	IV
	2.1	Upper door cross-rail	1 30.6"	1 30.6"	1 30.6"	1 30.6"	1 30.6"
	2.2	Right vertical door support (with holes for hinges)	1 42.6"	1 42.6"	1 42.6"	1 49.9"	1 49.9"
	2.3	Vertikal Window Supports (with 2 holes at bottom)	1 42.6"	1 42.6"	1 42.6"	1 49.9"	1 49.9"
	2.4	Door crossbeam with large hole for door handle	1 28"	1 28"	1 28"	1 28"	1 28"

Aluminium parts for divided revolving door -lower section-

profile	Pos.	designation	quantity / length				
			Riga S			Riga	
			II	III	IV	III	IV
	3.1	Vertikal Support with sash holes holes	1 29"	1 29"	1 29"	1 29"	1 29"
	3.2	Top Crossbar with VKT-holes	1 30.6"	1 30.6"	1 30.6"	1 30.6"	1 30.6"
	3.2.1	Rectangular tube VKT 30/30	1 29.3"	1 29.3"	1 29.3"	1 29.3"	1 29.3"
	3.3	Right Vertical Support with hinge holes	1 29"	1 29"	1 29"	1 29"	1 29"
	3.4	Bottom Crossbar	1 30.6"	1 30.6"	1 30.6"	1 30.6"	1 30.6"