



# EXACO®

Fine Greenhouses & Fountains  
Composters, Planters & More

2026



Alton Cedar Greenhouses.....	4-8
Royal Victorian Greenhouses.....	9-10,16-17
Junior Victorians.....	11,16-17
Royal Orangerie Greenhouses.....	12,16-17
Retro Greenhouses.....	13, 16-17
Cathedral.....	14,16-17
Modern and Gigant.....	15,16-17
Design your own greenhouse.....	18
Greenhouse Models Reference .....	16-17
Greenhouse Accessories.....	19-23
Livingten Double-Pane Greenhouse.....	24
Rondo Circular Pavilion.....	25
Riga Greenhouses .....	27-28
Riga XL Greenhouses.....	27, 29
Cold Frames & Raised Beds.....	30-32
Composters and Accessories.....	33-35
RainCollection.....	36-37
Indoor and Outdoor Planters.....	38-39
Rotary & Folding Clotheslines.....	39
Concrete Fountains.....	40-44
Garden Rooms & Pavilions.....	45-47



**Visit our showroom  
with more than 20 models  
on display!**





**What makes Exaco different?**

We offer top-quality greenhouses and products that our customers love. Skilled engineering and quality materials create superior products that will last for years to come. Beauty, strength, and functionality combine to provide a great growing environment or peaceful retreat.

Most of our products are manufactured in Europe and adhere to environmental and safety standards that exceed those of the USA. All products are BPA free and many of our plastic products are made from recycled material and are 100% recyclable.

**Excellent Customer Service!!!**



**Thicker Polycarbonate = Improved Insulation & Strength**

**4mm Twin-Wall R=1.43 (Basic entry level)**



**6mm Twin-Wall R=1.54 (Better Hobby level)**



**8mm Twin-Wall R= 1.61 (Riga curved panels)**




**10mm Twin-Wall (Riga gables & Janssens)**



**16mm Twin-Wall R=2.50 (Riga XL)**



**Better Materials = A Stronger, More Durable Greenhouse**



<b>Economy Frame</b> 1mm thick	<b>Better Economy Frame (26x29mm)</b> 1mm thick	<b>Victorian Tubular Frame (36x52mm)</b> 1mm thick	<b>Riga Structural Frame (40x30mm)</b> 2mm thick	<b>Riga XL Structural Frame (42mmx38mm)</b> 2mm thick
-----------------------------------	--	---	---	--

*“Exaco not only has high quality products but they also have an excellent team behind the products to ensure every customer is happy with their purchase. Basically, when you work with Exaco you work with a dedicated team that makes your life a whole lot easier.”*

*-Jesse, Online Retailer*



Based in the UK, Alton boasts a rich 100-year manufacturing history with commitment to quality and innovation in garden products. Their cedar greenhouses utilize this construction knowledge to create a practical, beautiful addition to your backyard or garden.

### **Premium Cedar Framework**

Walk into your greenhouse and breathe in the pleasant smell of cedar! Crafted from Grade 1 Western Cedar to ensure exceptional quality with knot-free wood. Each piece is dipped in a special solution to enhance aging and prevent water absorption while maintaining its natural colors. Western Cedar ages gracefully over time, giving the greenhouse a handsome silvery tone (you may also seal it periodically if you choose). The framing uses mortise-tenon and tongue-groove assemblies, providing superior strength and stability.

### **Protective Aluminum Base, Bar Capping and Roof Gussets**

The aluminum foundation frame raises the wood framing 1" from the ground to prevent rot. Solid aluminum gussets at each framing intersection increase the stability and durability of the structure. All stocked models include the aluminum glazing bar capping to add interest and longevity to greenhouse. All aluminum components have a strong powder-coated moss green finish to complement the natural beauty of the cedar color.

### **High Strength Glass**

The greenhouse is equipped with 3 mm tempered glass, and the steep 45° roof pitch ensures that snow slides off easily, preventing accumulation and potential damage.

### **Easy to Install Ventilation**

For convenience, the doors and windows come pre-assembled. The inward swinging door features a high-quality keyed handle for security and a low threshold. Ventilation features include manually operated louvred windows and roof vents with automatic temperature-controlled opener. All components are designed and manufactured in the UK, reflecting superior craftsmanship and attention to detail.



## Cambridge T-Shaped Cedar Half-Boarded Greenhouse

The Cambridge greenhouse features a slightly dropped portico, giving a grand entrance to the T-shaped floorplan. The steep 45° roof pitch and half-board cedar walls add to its charm. Optional Victorian cresting completes the look. The 10' main peak height and 5'7" sidewalls allow for plenty of light and growing space. The depth from the front door to back wall is 9'11", the main rectangle is 8'8" wide. The single hinged door swings inward on the portico gable.

Our fully loaded stock models include 3mm tempered safety glass, powder coated aluminum glazing capping, gutters with downspouts, aluminum ground frame, top and bottom shelf for rear wall, roof vents with automatic openers, and louvre windows to help ventilate the greenhouse.

**All Cambridge greenhouses are 9'11" from front door to back wall.**

**Two lengths available:**

**Cambridge 12'5" L** - (4) Roof Windows, (4) Louvre Windows (#9668)

**Cambridge 20'10" L** - (6) Roof Windows, (4) Louvre Windows (#9670)

Other lengths available by special order.



## Durham T-Shaped Cedar Half-Boarded Greenhouse



The Durham greenhouse is a more petite T-shaped model for smaller spaces. The main rectangle is 6'2" wide and it is 7'5" from the front door to back wall. The single hinged door is on the portico entrance which has the same 8'10" peak height of the main rectangle. The sidewalls are 5'7" high. Optional Victorian roof cresting upgrade completes the look.

Our fully loaded stock models include 3mm tempered safety glass, powder coated aluminum glazing capping, gutters with downspouts, aluminum ground frame, top and bottom shelf for rear wall, roof vents with automatic openers, and louvre windows to help ventilate the greenhouse.

**All Durham greenhouses are 7'5" wide from the front door to back wall.**

**Three lengths available:**

**Durham 12'5" L** - (2) Roof Windows, (2) Louvre Windows (#9593)

**Durham 16'8" L** - (5) Roof Windows, (4) Louvre Windows (#9639)

**Durham 20'10" L** - (6) Roof Windows, (4) Louvre Windows (#9640)

Other lengths available by special order.



## Cheltenham Cedar Half-Boarded Greenhouse

With a narrow 8'8" wide footprint, the Cheltenham greenhouse is a great fit for smaller urban yards. The steep 45° roof pitch coordinates well with the design and helps to shed snow from the roof. The 10' peak is accented with decorative supports and the 5'7" high sidewalls feature gutters and downspouts. The 28" wide single hinged door on the gable end swings inward and includes a keyed lock.

Our fully loaded stock models include 3mm tempered safety glass, powder coated aluminum glazing capping, gutters with downspouts, aluminum ground frame, top and bottom shelf for one side wall, roof vents with automatic openers, and louvre windows for ventilation.

**All Cheltenham units are 8'8" wide.**

**Three lengths available:**

**Cheltenham 12'6" L** - (4) Roof Windows, (3) Louvre Windows (#4790)

**Cheltenham 18' L** - (5) Roof Windows, (4) Louvre Windows (#5373)

**Cheltenham 20'10" L** - (6) Roof Windows, (4) Louvre Windows (#5042)

Other lengths available by special order.



## Westminster Cedar Half-Boarded Greenhouse



The Westminster greenhouse boasts a steep 45 degree roof pitch with a peak height of 11'1" adding to its grandeur while also allow snow to shed more easily. The 5'7" high sidewalls and 10'9" width allows more space for your planting needs. The 28" wide single hinged door is located on a gable end and features a keyed lock.

Our fully loaded stock models include 3mm tempered safety glass, powder coated aluminum glazing capping, gutters with downspouts, aluminum ground frame, top and bottom shelf for one side wall, roof vents with automatic openers, and louvre windows to help ventilate the greenhouse.

**All Westminster greenhouses are 10'9" wide. Three lengths available:**

**Westminster 16'8" L** - (4) Roof Windows, (3) Louvre Windows (#5246)

**Westminster 18' L** - (5) Roof Windows, (4) Louvre Windows (#6780)

**Westminster 20'10" L** - (6) Roof Windows, (4) Louvre Windows (#4894)

Other lengths available by special order.



## Lancing Cedar Greenhouse

A sparkling “glass to ground” greenhouse with the same fine cedar framing, the Lancing greenhouse has a steep 45 degree roof pitch with a tall peak height of 11’1”. The 10’9” width and 5’7” sidewalls gives lots of space for your projects. The 28” single hinged door is located on the gable.

Our fully loaded stock models include 3mm tempered safety glass, powder coated aluminum glazing capping, gutters with downspouts, aluminum ground frame, top and bottom shelf for one side wall, roof vents with automatic openers, and louvre windows to help ventilate the greenhouse.



**All Lancing greenhouses are 10’9” wide. Three lengths available:**

**Lancing 16’8” L** - (4) Roof Windows, (3) Louvre Windows (#25538)

**Lancing 18’ L** - (5) Roof Windows, (4) Louvre Windows (#9350)

**Lancing 20’10” L** - (6) Roof Windows, (4) Louvre Windows (#15008)

Other lengths available by special order.



## Octagonal Half-Boarded Cedar Greenhouse

Add a special point of interest to your garden with the Octagonal greenhouse! Its eye-catching design boasts a cupola with a airy peak height of 11’10” and 6’2” high sidewalls. The locakable double-hinged door gives 4’9” of walkthrough space! Optional shelving installs in a “U” shape to maximize growing space.

Our fully loaded stock models include 3mm tempered safety glass, powder coated aluminum glazing capping, gutters with downspouts, aluminum ground frame, top and bottom shelf for one side wall, roof vents with automatic openers, and louvre windows to help ventilate the greenhouse. .



Our fully loaded stock models include 3mm tempered safety glass, powder coated aluminum glazing capping, gutters with downspouts, aluminum ground frame, top and bottom shelf for one side wall, roof vents with automatic openers, and louvre windows to help ventilate the greenhouse.

**Octagonal 9’2” x 12’10” L** -

(2) Roof Windows, (2) Louvre Windows (#8981)

Other sizes available by special order.

# Fusion Cedar Workshop & Greenhouse

The Fusion is a unique 2 in 1 option featuring a cedar workshop plus a “glass to ground” greenhouse. The workshop features large glass windows, a felt roof, and a wide lockable hinged door - optional workbench or access door to greenhouse are available. The greenhouse has 3mm tempered safety glass, a 22” wide single sliding door with hasp, roof vents with auto openers and louvered windows for ventilation. The Fusion may be ordered with the shed/greenhouse sections on either the left or right side to fit your backyard or garden layout perfectly.



**All Fusion Workshop + Greenhouse Models are 10’11” wide. Two lengths available:**


**Fusion 10’7” L** - (2) Large Side Windows (Workshop), (2) Roof Windows, (4) Louvre Windows (#7956/7957)

**Fusion 12’8” L** - (2) Large Side Windows (Workshop), (2) Roof Windows, (4) Louvre Windows (#7958/7959)

Other sizes available by special order. Optional upgrades available: Aluminum Bar Capping for Glazing (low maintenance & added strength), 2-slat shelving and/or 4-slat shelving for greenhouse, workbench for workshop, and louvre automatic openers.

## Dimensions

- A = 3314mm (10’11”)
- B = 3236mm/3866mm (10’7”) / (12’8”)
- C = 2050mm 6’8”
- D = 2443mm (8’)
- E = 806mm (2’8”)
- F = 1847mm (6’1”)
- G = 1890mm (6’2”)
- H = 560mm (22”)
- J = 1984mm (6’6”)
- K = 1330mm (4’4”)
- L = 1700mm (5’7”)



## Accessories for Alton Greenhouses

### Cedar Protective Treatment

The cedar used in Alton's products has an inherent resistance to rot. If the cedar is not regularly retreated the colour will fade to a natural silvery-grey.



### Evolution Louvre Auto Opener

Automatic opener for a Louvre vent. Its fully adjustable to open over a range of temperatures. Replacement pistons available.



#ALT4379



### Thermofor Classic Opener

Automatic opener for a roof vent. Fully adjustable to open over a range of temperatures. Replacement pistons available.

#ALTTHAUTO

### Bayliss XL Roof Opener

Heavy Duty Automatic opener for a roof vent. Fully adjustable to open over a range of temperatures. Replacement pistons available.

#ALTBAXLAU



### Alton Roof Shading Blind


Alton Evolution Internal roof shading blinds can be used to protect plants from strong sunlight or to provide insulation over winter. The flexible nature of the fabric will allow automatic roof vents to operate without interference.



### Anchors

Anchoring option to embed the anchors into the ground to secure the unit. EXACO exclusive anchors.

#ALT4206



## Why Choose a Janssens Victorian Greenhouse?



- Classic Victorian style with elegant full-length glazing panels
- Glass glazing is high-quality 4mm thick tempered safety glass which is tougher, stronger, and clearer
- Upgrade option\* to a UV/Heat block 10mm twin wall polycarbonate roof with glass sidewalls to reduce heat gain.
- Thick rubber seals hold glazing securely & provide insulation
- Substantial aluminum profiles beat competitors in this price range
- Decorative Victorian roof decorations included, but optional
- Flyscreens available for all vents
- Gutters and downspouts are standard on all models
- Door upgrade options: single/double, sliding/hinged
- Low threshold kits available
- Drop door kits allow a "ground mount" model to be placed on a stem wall (height of your choice) to allow for more growing space, small trees, large tropical plants
- Standard rectangular models are designed as DIY kits for handy homeowners (hinged doors/walls increase difficulty)
- Optional shelving, seed trays, shade cloth, hooks, automatic window openers, exhaust fans and more
- Other sizes, colors & styles are available
- If you are looking at the VI46 in a high snow/wind area, we recommend the Gigant

\*Royal Victorian Models only \*\*Rectangular Royal Victorian Models only

### What makes Royal Victorians different?

- Royal Victorians have 6'7" high sidewalls for more space
- Doors/window placement is very versatile
- Royal Victorians include a louvered sidewall window for air intake with a cold weather cover included
- Misting/Irrigation system included
- Hybrid options with heat block polycarbonate roof are available for rectangular models



Full length glass in walls and roof - no overlapped panes!



Retro Victorian with iridescent film at Polly NYC

# Royal Victorian Greenhouses

Featuring a rectangular floorplan, our Royal Victorian greenhouses are customizable to your needs. We offer black or green framed greenhouses with 4mm tempered glass or a hybrid model with a UV/heat block 10mm twin wall polycarbonate roof to reduce heat gain in warm climates.

Standard features include sliding door(s) with customized placement, 6'7" sidewalls, a louvre window with cold weather cover, roof windows with automatic or manual spindle opener(s), large bottom frame, gutters, downspouts, and a misting system. See pages 16-17 for sizes/options.

Available upgrades include double doors, hinged doors, adding doors, door drop kits to place structure on a knee wall to increase height, additional roof/louvered/push-out windows, shade cloth, shelves, seedtrays, and custom sizes and colors.



VI 34 Glass in Black on a Stem Wall



VI 46 Glass in Black on Stem Wall



VI46 Green Glass



VI 34 Black in Glass



VI 23 in Black



VI 36 Hybrid Glass in Black

*"I've purchased two greenhouses in the past two years from Exaco, the VI-23 and the VI-36. They're both great. Exaco's service is outstanding, and the products are engineered to be built in just a few days. I've built two myself - alone! The video instructions make the construction easy and fast. My bonsai and orchids are happy in their new home."  
- Harris, greenhouse owner*

# Janssens Junior Victorian EOS Greenhouses

Junior Victorians with a steeper EOS roof pitch have the same heavy-duty profiles as Royal Victorians but with shorter 5'2" sidewalls. The petite design makes a good fit for smaller urban yards. The single sliding door is located on a gable end. Includes 4mm tempered safety glass, gutters with downspouts, roof decoration, and large bottom frame.



Junior Orangerie

**Junior Orangerie Greenhouse** - Unique T-shaped floor-plan with 2 roof windows w/ auto openers and one sliding door. (#J-ORA) 10'3" D x 13' L x 8'2" H, 116 sq. feet  
**Optional Junior Orangerie Accessory Kit** - 1 seed-tray shelf (along side wall) -7'6" L x 20" W x 4" D and 5-piece shade curtains



J-Vic 25

- **Junior Victorian 23** - Includes 1 roof window with auto opener, 7'9" W x 10'2" L x 8'2" H with 5'2" high side wall, 79 sq. feet (#J-VIC 24).
- **Junior Victorian 24** - Includes 2 roof windows with auto openers, 7'9" W x 12'6" L x 8'2" H, with 5'2" high side wall, 96 sq. feet (#J-VIC 24).
- **Junior Victorian 25** - Includes 2 roof windows with auto openers, 7'9" W x 15' L x 8'2" H, with 5'2" high side wall, 116 sq. feet (#J-VIC 25).

**Optional accessories:** 7'6" long seedtray and shadecloth available.



J-Vic 23

## NEW! All Junior Victorians Will Include Option for Small Knee Wall



J-Vic 24 on a small stem wall

Junior greenhouse kits come with additional glass and extrusions that allow you to place the greenhouse on a short 15 3/4" (400mm) high stem wall. It's all included so you can choose the assembly that works for you! Placing the greenhouse on a stem wall also allows the doors to be mounted on the side wall. Wall must be perfectly flush with exterior of the greenhouse base for the sliding door to function.



Junior Orangerie on a small stem wall

## Royal Orangerie Greenhouse

The Royal Orangerie Greenhouse has a T-shaped floorplan, giving it a grand entrance point and more square footage to enjoy. The Royal Orangerie comes standard with 6'7" high sidewalls, double sliding doors, 3 roof windows with openers, 2 louvre vents (with openers and cold weather covers).

Upgrades and accessories for this model include shelves, shade cloth, hinged doors, placement on a stem wall, fly screens and more. Please note that the seedtray and top shelf for this T-shaped model is designed to fit in one of "wings" of the greenhouse. Made in Belgium.

Our stock models are 12'10" D x 15'6' L/W x 9' H, 185 sq ft with glass glazing and dark fir green or black framing. This model may be special ordered in other colors and sizes.



## Royal Antique Orangerie

The elegant sibling of the Royal Orangerie, the Antique Orangerie has the same footprint but with a steeper roof pitch, narrow glass panes, hinged double doors and is designed to sit on a 24" high kneewall. All this adds to a classic vintage appeal. This model is stocked in white or black frame.



## The Retro Royal Victorian Greenhouse



VI 34 Retro in Black

Decorative panels and narrow glass (14" wide) adorn the elegant Windsor Estate-style greenhouse to create a beautiful gardening setting. It is these two features that make the Retro Victorian greenhouses stand out from our standard Royal Victorian line. The decorative aluminum panels have a relief decoration and are powder coated to match the rest of the structure.

The Retro Victorians come standard with lockable double hinged doors, 6'7" sidewalls, push-out sidewall windows, roof vents, a large bottom frame, gutters with downspouts and a misting system. Shadecloth, shelves and fly-screens may be added to these greenhouses as well. We regularly stock the 34 (10'2" x 15') and 46 (12'7" x 19'11") sizes in a black frame.

Other colors and sizes are available to special order (allow 3 to 4 months for delivery). Please contact Exaco for more details. Made in Belgium.



# The Cathedral



*Bronze Cathedral*



*Jet Black Cathedral*

A stunning greenhouse or additional outdoor living space! The Cathedral features a wider footprint than our Royal Victorians with an eye-catching cupola at the top. The cupola and wider frame is supported with two heavy-duty aluminum arched portal frames (2.3" W x 5.2" D) that also anchor the greenhouse. The structure has full-pane 4mm tempered safety glass and large gutters with downspouts.

Our standard model is 300 sq.ft. - 15' W x 19'11" L x 12'2" H with 6'8" high side walls (Cupola: 10'2" L x 5' 4"W). Our stocked models have Black or Bronze/(Beige Gray) frames and include 1 set of hinged double doors, 1 single sliding door, 2 push-out side windows, 2 louvre windows, and 4 roof windows with spindle openers. Other colors and sizes may be special ordered. Please note: This model is designed for assembly by a skilled handyman or assembly company. Made in Belgium.



*Bronze Cathedral with tint film added*



*Fir Green Cathedral*



Modern 34

## The Modern Greenhouse from Janssens

The pent roof design gives this stunning greenhouse an updated appeal that looks great in urban settings and lush gardens. The strong shed-style roof has double thick roof extrusions and cross braces to support the overlapped glass panes on the roof. The Modern 34 and 36 include hinged double doors, 2 push out windows, 2 louvered windows and 2 roof vents with openers. Assembly by a skilled handyman is strongly encouraged. Made in Belgium.

- Modern 23 - 7'9" x 10'2", 79 sq ft
- Modern 34 - 10'2" x 15', 150 sq ft
- Modern 36 - 10'2" x 19'11", 200 sq ft



Modern 36



White Gigant with knee wall 15' x 19'11"

## The Gigant from Janssens

If you are looking for a large, strong greenhouse that is 12'7" or wider, then the Gigant may be for you. The heavy-duty roof framing paired with structural gable braces and heavy portal frames support the wider roof span of this model. This model is strongly recommended for high snow/wind areas - and additional bracing may be added. This spacious model from Belgium is highly customizable and is available by special order only. Explore the options in our configurator tool at [www.exaco.com](http://www.exaco.com).

Black High Gigant 19'11" x 39'2"




Heavy-duty supports on sides/roof and gable ends!

Black Gigant 19'11" x 19'11"



# Overview of Greenhouse Models

(for other options not shown in this chart,



Type	Greenhouse Size	Square Footage	Panels long?	Panels wide?	Frame Color	Glazing	Roof Vents (Openers)	Sidewall Vents?
Royal Victorian	VI 23 7' 9" x 10'2" x 8'6" peak, 6'7" sidewalls	79	4	3	Fir Green or Black***	4mm tempered safety glass**	2 Vents (1 auto/1 spindle)	1 louver window
	VI 34 10'2" x 15' x 9' peak, 6'7" sidewalls	150	6	4	Fir Green or Black**	4mm tempered safety glass or hybrid with UV/heat block poly roof	3 Vents (2 auto/1 spindle)	1 louver
	VI 36 10'2" x 19'11" x 9' peak, 6'7" sidewalls	200	8	4	Fir Green or Black**	4mm tempered safety glass or hybrid with UV/heat block poly roof	4 Vents (2 auto/2 spindle)	1 louver
	VI 46 12'7" x 19'11" x 9'2" peak, 6'7" sidewalls	250	8	5	Fir Green or Black**	4mm tempered safety glass or hybrid with UV/heat block poly roof	6 Vents (3 auto/3 spindle)	1 louver
	Royal Orangerie (T Shape) 12'10" D x 15'7" W x 9' peak, 6'7" sidewalls	185	n/a	n/a	Fir Green or Black**	4mm tempered safety glass	3 Vents (2 auto/1 spindle)	2 louvers
Janssens Specialty Greenhouses	Retro VI 34 10'2" x 15' x 9' peak, 6'7" sidewalls	150	6 deco panels	4 deco panels	Black**	4mm tempered safety glass	4 Vents (2 auto/2 spindle)	1 push out side window
	Retro VI 46 12'7" x 19'11" x 9'2" peak, 6'7" sidewalls	250	8 deco panels	5 deco panels	Black**	4mm tempered safety glass	6 Vents (3 auto/ 3 spindle)	2 push out side windows
	Modern 23 7' 9" x 10'2" x 8'10" peak, 6'8" sidewalls	79	4	3	Black**	4mm tempered safety glass**	2 Vents (2 auto)	2 push out side windows, 1 louver
	Modern 34 10'2" x 15' x 9'7" peak, 6'8" sidewalls	150	6	4	Black**	4mm tempered safety glass**	2 Vents (2 auto)	2 push out side windows, 2 louvers
	Modern 36 10'2" x 19'11" x 9'7" peak, 6'8" sidewalls	200	8	4	Black**	4mm tempered safety glass**	2 Vents (2 auto)	2 push out side windows, 2 louvers
	Cathedral 15' x 19'11" x 12'2" peak, 6'8" sidewalls	298	8	6	Bronze or Black**	4mm tempered safety glass	4 Vents (4 spindle)	2 push out side windows, 2 louvers
Junior Victorian	JVIC 23 7' 9" x 10'2" x 8'2" high peak, 5'2" sidewalls	79	4	3	Black	4mm tempered safety glass	1 Vent (1 auto)	none, may be added
	JVIC 24 7' 9" x 12'7" x 8'2" peak, 5'2" sidewalls	96	5	3	Black	4mm tempered safety glass	2 Vents (2 auto)	none, may be added
	JVIC 25 7' 9" x 15' x 8'2" peak, 5'2" sidewalls	116	6	3	Black	4mm tempered safety glass	2 Vents (2 auto)	none, may be added
	Jr. Orangerie (T shape) 10'3" x 13' x 8'2" peak, 5'2" sidewalls	116	T shaped	n/a	Black	4mm tempered safety glass	2 Vents (2 auto)	none, may be added

\*Level 1 - Handy homeowners should be able to assemble w/ customer service assistance if needed. Hinged doors or mounting on a knee wall increases difficulty - skilled handyman or assembler recommended. Level 2 - Challenges exist with aspects such as hinged doors, wall mounts or T shaped models - a skilled handyman/assembler may be required. Level 3 - Professional Assemblers or Contractors are strongly recommended - kit requires special equipment, skills, and adaptation to site build.

\*\*Additional colors/options may be ordered. Additional charges apply - leadtime will be 3 to 4 months and may fluctuate.

# from Janssens in Belgium

see page 11 and the Riga greenhouse pages)



Door/s on standard kit	Alternate Door options?	Irrigation/ Misting system included?	Shelving available?	Shade cloth available?	Wall mount option?	Power Ventilation Options?	Special Freight Delivery Conderations?	Assembly Difficulty
1 Single sliding	yes	yes	yes	yes	yes, with door drop kit***	12" exhaust fan in gable	Curbside standard w/ liftgate****	DIY Level 1*
1 Double sliding	yes	yes	yes	yes	yes, with door drop kit***	16" exhaust fan in gable	Curbside standard w/ liftgate****	DIY Level 1*
1 Double sliding	yes	yes	yes	yes	yes, with door drop kit***	16" exhaust fan in gable	Curbside standard w/ liftgate****	DIY Level 1*
1 Double sliding	yes	yes	yes	yes	yes, with door drop kit***	16" exhaust fan in gable	Curbside standard w/ liftgate****	DIY Level 1*
1 Double sliding	yes	no - can be added	yes	yes	yes, with door drop kit***	16" exhaust fan in gable	Curbside standard w/ liftgate****	DIY Level 2*
Double hinged	yes	yes	yes	yes	not recommended	16" exhaust fan in gable	Curbside standard w/ liftgate****	DIY Level 2*
Double hinged	yes	yes	yes	yes	not recommended	16" exhaust fan in gable	Curbside standard w/ liftgate****	DIY Level 2*
Double hinged	yes	no - can be added	yes	yes	yes, with door drop kit***	16" exhaust fan in gable	Additional charges may apply - special equipment or hand unloading may be necessary	Level 3*
Double hinged	yes	no - can be added	yes	yes	yes, with door drop kit***	16" exhaust fan in gable	Additional charges may apply - special equipment or hand unloading may be necessary	Level 3*
Double hinged	yes	no - can be added	yes	yes	yes, with door drop kit***	16" exhaust fan in gable	Additional charges may apply - special equipment or hand unloading may be necessary	Level 3*
1 Single sliding and double hinged	yes	no - can be added	yes	no	Only by professional contractors	Call to discuss	Additional charges may apply - special equipment or hand unloading may be necessary	Level 3*
1 Single sliding	Single hinged upgrade available	no - can be added	yes	yes	Kit includes option for 15.75" high wall	12" exhaust fan in gable	Curbside standard w/ liftgate****	DIY Level 1*
1 Single sliding	Single hinged upgrade available	no - can be added	yes	yes	Kit includes option for 15.75" high wall	12" exhaust fan in gable	Curbside standard w/ liftgate****	DIY Level 1*
1 Single sliding	Single hinged upgrade available	no - can be added	yes	yes	Kit includes option for 15.75" high wall	12" exhaust fan in gable	Curbside standard w/ liftgate****	DIY Level 1*
1 Single sliding	Single hinged upgrade available	no - can be added	yes	yes	Kit includes option for 15.75" high wall	12" exhaust fan in gable	Curbside standard w/ liftgate****	DIY Level 2*

\*\*\*Please call Exaco or consult manual before building wall. If greenhouse has sliding door, stem wall must be flush with the base of the greenhouse as door/s slide along the outside of the greenhouse.

\*\*\*\*Standard curbside delivery includes a freight truck with a liftgate and pallet jack. Driver will need help with long narrow framing cartons. Special circumstances such as low trees, remote areas, dirt roads, driveway deliveries, and flatbed/forklift delivery requests may incur additional charges.

# Custom Designs from Janssens in Belgium

Now you can design your greenhouse to your vision and space. With our configurator tool, you can choose design style, size, layout, color, door options, window options, glass width, decorative panels, roof pitch, accessories and more. This tool will help explore what is possible and see your dream greenhouse come to life.

Find smaller or larger versions of our stocked models, as well as variations. In the configurator you will also find the lean-to Arcadia and Arcadia Plus models as well as much wider, taller reinforced models like the Cathedral and Gigant.



*Black Helios with narrow glass on a knee wall - 12'7" x 19'11"*



*Fir Green Arcadia Plus with narrow glass on a knee wall - 7'7" x 10'2"*

Please note when you are designing a custom greenhouse, they are special order from Belgium and prices will reflect this. Estimated turn-around time is usually 14 to 16 weeks. When choosing larger models with custom features, it is recommend to hire a skilled handyman or assembler as these are often much higher level builds. Be aware as the size of the model increases - standard freight and shipping logistics will no longer apply and off-loading equipment may be needed.

Find the link to the configurator design tool in the upper right corner on our website at [www.exaco.com](http://www.exaco.com).



*EOS T Model with narrow glass on a knee wall*



*Fir Green Arcadia Plus - 7'9" x 12'7"*



*White Modern 36*

# Greenhouse Accessories

V= works in Janssens' Victorians; R= works in Riga models; U= Universal

**Seed Tray Shelves (V)** are 20" W x 4"D, length is determined by the greenhouse. Adjustable height. Available for Junior Victorians, VI23-46, Royal Orangeries.

**Narrow Top Shelves (V)** 4" W, length is determined by the greenhouse. Adjustable height. Available for Junior Victorians, VI23,-VI46, Royal Orangeries.

**Victorian Slat Shelving (U)** Flexible placement & cost-effective - fits a variety of greenhouses and/or positions. Designed to be able to run them end to end for longer stretches. 59" long.

- **Green 2-Slat - 9" W (#TAB2G)**
- **Black 2-Slat - 9" W (#TAB2B)**
- **Green 5-Slat - 21" W (#TAB5G)**
- **Black 5-Slat - 21" W (#TAB5B)**



**Door Centering Kit (V):** This kit includes an additional PRO1456 and glass to center a single or double door along the greenhouse. Most common with VI 46 Models.



**Touch-Up Paing (V)** Touch-Up spray paint can and pen to use to cover up any dings while assembling or to match other items to the color of the greenhouse. **(#OR PEN)** **(#OR SPRAY)**

## Victorian Windows:

- **Additional Roof Vent (V)** Incl. glass underneath for Royal Victorians
- **Ventomax Roof Vent Auto Opener (U)** with piston. Opens with oil filled piston - oil expands around 68-72 degrees and opens window.



- **Manual Spindle Opener (V)** high-quality threaded manual opener with long detachable handle. Good for high wind areas.



- **Heavy-Duty "Storm" Opener (V)** Recommended for high wind areas. Powerful opener to help prevent the window from ripping away.




- **Louvered Window (V)** Add to any sidewall for extra ventilation. Includes glass panel for underneath for Royal Victorians. Junior Victorians will have a lexan panel.
- **Louvre Lexan Cover (V)** Add this to your louvre window in the winter.
- **Louvered Window Sesam Liberty Auto Opener (V)** with piston.



**Misting System (U)** 14' long for a 20' greenhouse - cut shorter for smaller houses. Has 5 misters. If shipped UPS/ Fed Ex, it comes in 2 pieces w/ connector. **(#VI BER)**

## Victorian Doors:

- **Single Sliding Door (V)** (Royal VICs only) - Add to any sidewall (except corners) for 27.5" W door opening.
- **Second Sliding Door (V)** (Royal VICs only) - Add a second door to for a double opening of 56 7/8" W
- **Lowered Threshold for Sliding Door (V)** Soil profile must be cut for installation. Threshold will be 1 1/2" high.



**Hinged Double Doors - Single/Double (V)** Commercial-style door/hardware with low threshold - soil profile must be cut to install. Recommended for knee walls.




**Door Drop Kit (V)** Required to frame header above door if greenhouse is placed on knee wall. Header glass not included - must be purchased locally.

**Hinged Door Stops/Holders (U) - Recommended for all hinged doors:**

**Traditional Door Holder -** Hook & latch to stop the door and hold it open - black..



**Magnetic Holder -** 6 3/4" long magnetic arm and button magnet holds door open. Works great for knee walls that extend beyond the door jamb. Black or green..



# Greenhouse Accessories (Cont'd)

V= works in Janssens' Victorians; R= works in Riga models; U= Universal


## Support and Bracing Options for Victorian Greenhouses

These accessories are ideal for high-wind and high snow load areas. It is best to order these with the greenhouse so you avoid having to retrofit the braces.


**Turnbuckle Supports (U):** 2 flat bars connected with an adjustable turn buckle. Size: ~41" long x 0.75" wide x 2 mm thick.




**PRO1456 Inserts (V):** These inserts are designed to help reinforce the PRO1456 Rafters and/or studs in heavy wind/snow load areas.



**Deco Scroll Supports (V)** For additional structural support if standard factory kit is not considered enough. Usually installed in a set of three: one set at the ridge and one at each gutter. May interfere with a shade cloth. Models longer than 20' will come standard with (3) Deco Scrolls.



**PRO210 Anchors (V):** You can get additional PRO210 angle irons to help further reinforce the base. Anchors are 16" long and can be embedded into the foundation or cut into 4" pieces. Most models will come with either (4) or (6) PRO210 anchors standard.



**VI 46 Triangular Supports (V):** The VI 46 or models 151" wide will have triangular supports in the very center of the greenhouse - similar to the Deco Scrolls.



**Very Popular!**

## Fly Screens for Victorian Greenhouses

Keep pests out of your greenhouse with these fly screens for the roof vents, louvre windows, and push-out windows. Brush seals allow for openers while restricting access for pesky insects/pests. Available in green (RAL6009) or black (RAL9005).

**Roof Window**



**Push-out side Window**



**Louvre Window**



# Greenhouse Shade Options

**Classic Shade Curtains** for JVIC24, JORA, VI23, VI34, VI36, VI46, and Royal Orangeries. This is the original shade cloth designed for the Janssens greenhouse models. This elegant, beige shade cloth is a polyester blend that covers 60% of the sunlight entering the greenhouse.



**Wooden Slat Shades:** New exterior shade solution for Victorian greenhouses. Narrow slats of Bengkirai wood are evenly spaced to allow some sunlight through but efficiently shades the greenhouse. Bengkirai wood from Indonesia is known for its strength and durability. Brass clips connect the slats and set includes 6mm stainless steel bolts with 10 hex heads with holes for the top ring to connect to the ridge beam of the greenhouse.



**Fixed Shade Curtain:** Clean, sleek, modern design - cloth is pure white. Shadecloth is fixed and does not slide. Attached at gable, gutter and sidewall using 3 black aluminum straps to hold shadecloth in place. One shadecloth covers two panes (59") on one side of the greenhouse.



## Roller Shades from Germany

Our Universal Retractable Roll-up Shade Curtains are available in a range of widths to fit most greenhouses. Roof shades are one fixture with two rolls to be hung at the ridge, while single rolls are designed for side wall shade. Acrylic fabric with aluminum fibers to provide shade on sunny days and reflect heat back down into the greenhouse when used on cold winter nights. The acrylic fiber absorbs evaporative moisture to create a dry, fungus-free climate inside. Includes appropriate hanging hardware. Shading value is ~55-60%. Made in Germany from Hoklartherm.

Roof (one fixture w/ two rolls) or sidewall shades (one roll) come in the following widths: 39" wide, 47" wide, 59" wide, 78" wide, 89" wide, 98" wide. Standard roof rolls can pull out 6'6", for longer spans (up to 10') - we have Gigant XL sized in 59" and 78" widths. Shades for the Modern are a single roll mounted at the ridge beam.



## Ventilation/Heating

**Exhaust Fan(U)** - use with a thermostat. Mount at high location in the gable end. Has 9' plug-in power cord.

- **12" Exhaust Fan** for RIGA 2, 3, 4, J-Vics, and VI 23; Requires 12.25" x 12.25" opening. (#VES12C)
- **16" Exhaust Fan** for RIGA 5, VI 34-46; Requires 16.25" x 16.25" opening. (#VES16C)
- **20" Exhaust Fan** for RIGA XL series. Requires 20.25" x 20.25" opening. (#VES20C)



**Lexan Panel (V)** replaces a glass pane to install fan or vent in the gable end of the Victorian greenhouse. High-quality UV-protected - can be cut with a jigsaw. (#Lexan)

**Motorized Intake Shutter Vent (U)** use with a thermostat, 9' cord. For Vics, we recommend a glass louvered window with an auto opener. Mounting the vent is more complicated, but can be done.

- **16" Intake Shutter** for RIGA 2, 3, 4; Requires a 16.25" x 16.25" opening. (#VRSG16A-PSC)
- **20" Intake Shutter** for RIGA 5, VI 34-46. Requires a 20.25" x 20.25" opening. (# VRSG20A-PSC)
- **24" Intake Shutter** for RIGA XL series. Requires a 24.25" x 24.25" opening. (# VRSG24A-PSC)

**Thermostat (U)** - Dial thermostat to regulate the exhaust fan, intake vent. May be used with a 120V heater, but will need to be wired for heating. (PECO TF115-002)

**120 V Milkhouse Heater (U):** Good for smaller greenhouses such as the RIGA 2-5 and J-Vic and VI 23-36 units. 4437/5120 BTU, 1300/1500 Watts.



**Infrared Industrial Heater (U)** Portable electric 208-240V (4200-5600 watts) heater. Full power produces ~18,500 BTU. 6' heavy-duty cord with NEMA #6-30P plug. Requires 30 AMP breaker. 12" x 12" x 16" h. Perfect for the RIGA XL and VI 46 units. (>200 sq.ft.) (#DR988)




**HELPFUL TIP:** Use a heater calculator online to determine how many BTUs you need for your greenhouse, climate, and growing needs. This will ensure it is well-suited to your goals!



## Solar Powered Exhaust Fan

Ventilate your greenhouse without hardwiring with the **Solar Exhaust Fan (U)**. These are specially made for Exaco (for greenhouses) by a factory producing attic exhaust fans for years. Kit includes: 16" x 16" exhaust fan with brushless motor, 50-watt solar panels, digital thermostat, angle irons to attach the solar panel to the exterior of your greenhouse and a case for two 12 volt back up batteries. Batteries not included. Forward/reverse controller and setting for Fahrenheit or Celsius readings. Panel includes 20' power cord. Black only.

Mounting method varies by greenhouse. Exaco recommends replacing a glass pane with Lexan to allow for hole to mount fan if needed.



# Greenhouse Accessories (Cont'd)

V= works in Janssens' Victorians; R= works in Riga models; U= Universal



**Wheelbarrow Access Ramp (U)**  
Durable Solid Rubber - 19.3" W x 12.3" L (each side) x 4" H in the middle (#VI RIJ)


**ASTRICA 45W Interlight LED Grow Light Fixture F3 Spectrum (U)**  
5' long fixture w/12 LEDs to be installed 12"-36" above the plant canopy. May be daisy-chained together in runs of up to 15 fixtures. One Unit comes with power cable - extra units get connection cable. IP65 waterproof



**Light My Shed Solar Light\* (U):**  
Solar powered LED light: 3 watts/ 250 Lumens (up to 4 hrs on a sunny day). Uses a Ni-MH Battery - 4.8 V - 2000 mA. 2 Light domes - 6"D x 7"H, 9' wire between panel and bulb. Limited 2-year warranty. (#GS-16B)



**T-Bolts\* (U):** 20 Stainless Steel hammerhead bolts/nuts. Unique head can be inserted into profile channels, then turned 90° to attach accessories once the greenhouse is assembled. (#Riga T-Bolts or #Victorian T-Bolts)



**Additional Roof Vent for RIGA 2s/3s/3/4s/4/5 (R)**- to be added as greenhouse is assembled - polycarbonate sidewall must be trimmed to obtain poly window piece. Includes opener. (#RIGARoofWindow)

**RIGA Univent Automatic Window Opener (R)** with quick release - allows opener to be disconnected in adverse weather conditions. Non-toxic oils in piston expands starting around 70°F. (#RIGAAutoOpener)

**Replacement Piston for Automatic Window Opener (U) (#Piston)** - For Univent, Ventomax, or the Sesam Liberty Opener.

**Roof Window Wind Restraint System (U)** - Two 15" stainless steel cables with nuts & bolts - for 1 roof window. (#RIGA Wind 1)



**Sash-Lock with screws (U)** - recommended to shut roof windows and top half door (#Sash-Lock)

**Adjustable Stainless Steel Hooks (set of 5) (U)**  
T-bolt head easily installs into channels to allow for hanging plants, lights etc. (#RIGA Metal Hooks)



**Plastic Hooks (set of 10) (U)** - Easily installs in channels to hang growing wire or rope. (#RIGA Plastic Hooks)



**Heavy Duty Seed Trays (U)** - 24" x 16" x 3.5" D (#RIGA Shelf Planter Boxes)



**Riga Shelves (R)** - Aluminum framing with polycarbonate shelf surface. Supported with angle struts from underneath. Shelf length to fit all Riga, Riga S and Riga XL. May be trimmed if full length is not desired. Adjustable Height.

**Narrow Top Shelf - 10" W**



**Bottom Table Shelf - 25" W**

**Riga Foundation Frame (R)** - To avoid concrete work to anchor. Attached to soil profile and buried in a trench to anchor your Riga greenhouse.

Riga and Riga S is C- shaped extrusion

Riga XL series is an I-Beam shape

**Door Extension kit for RIGAs (R)** to raise greenhouse 20" on stem wall:

- RIGA Door Ext S- Riga 2s/3s/4s
- RIGA Door Ext - Riga 3/4/5
- RIGA XL Door Ext has parts for 2 doors



**RIGA XL Pro Kit (R)**- Add for a "complete" starter kit: 1) Top & Table Shelf; 2) 3 sets of professional LED grow lights (46" L); 3) 1 24" intake shutter vent; 4) 1 20" exhaust fan; 5) thermostat for vent & fan; 6) 17,500 BTU 220 V heater; 7) 5 heavy duty seed trays; 8) 10 stainless steel hooks & 10 heavy duty plastic "hooks". Also includes: Facilitation Kit

**RIGA XL Assembly Facilitation Kit (R):** 25' metric tape measure, 10mm socket wrench, 10 mm open wrench, 2 20' J-hook ratchet straps, window restraint cables, 2 tubes Boss 399 silicone caulk, permanent marker

**Boss Clear Neutral Cure Silicone Caulk (Colors 400-157)\*:** to seal between polycarbonate and frame. Made in USA. (#Boss)

# Livingten Insulated Greenhouse by Hoklartherm

Double pane glass and insulated profiles! The Livingten is a sleek insulated greenhouse with both 22-mm thick insulated glass. The strong thermal-Insulated aluminum profiles prevent temperature transfer to the interior for a more controlled environment. Perfect for cold environments!

This premium greenhouse kit includes one set of double sliding doors for gable ends, one set of double sliding doors for side walls (locks included), 2 push-out side windows, 4 roof vents with heavy-duty automatic openers (temperature activated), foundation frame (optional to use), retractable (roll-up) roof shade curtains with aluminum weave, and the LED light bar supplies soft evening lighting.



Three sizes:

**Livingten 5**

11'6" x 14'3" x 10'8" h

**Livingten 6**

11'6" x 16'11" - 10'8" h

**Livingten 7 -**

11'6" x 19'10" - 10'8" h



# The Rondo Pavilion by Hoklartherm in Germany



A beautiful round pavilion, the Rondo provides shelter and shade. Two semi-circles overlap and rotate 360° for a maximum opening of 180° in any direction. The Rondo also has a locking sliding door in the outer shell for access when structure is closed. The Rondo also works great as a hot-tub cover. 6'11" high side walls are 5mm tempered safety glass. The roof is 4 mm high impact resistant Plexiglass. Thermodynamic wind-driven fan. Shade curtain on inner half. Convex or concave roof available. Color choice: dark grey or dark green.

Special Order item only - 3 month lead time. Made in Germany.

Rondo VP1 10'10" dia x 9'10" high

Rondo VP4 17'4" dia x 11'9" high

Rondo VP2 12'11" dia x 10'5" high

Rondo VP5 19'6" dia x 12'7" high

Rondo VP3 15'2" dia x 11'1" high



Concave Roof



Convex Roof



## Nelke Pro 4 from Germany

The Nelke Pro greenhouse is created for serious growing in a very handsome greenhouse. This new design by KGT/Hoklartherm in Germany features their rugged aluminum extruded framing with a pleasing powder-coated finish. The extra insulation of 16mm triple wall polycarbonate glazing will create an ideal growing space throughout the seasons – even in cold and snowy areas.

The Nelke Pro features a wide split Dutch door for easy access and versatility. In addition to the two large roof vents with auto openers, there is also a rear wall window as well. Optional decorative roof cresting is available.



### Key Features of the Nelke Pro 4 Greenhouse


- 9'8" W x 14' long with a peak height of 8' and 5'3" high sidewalls
  - 2 roof vents with automatic openers provide optimal air circulation
  - Extra-wide\* ADA-friendly split front door with lockable handle (doorway is 38" wide x 71" tall)
  - 1 rear wall window with manual opener to add air flow
  - Gutters and downspouts
  - Three collar beam turnbuckle cross supports\* increase snow handling capacity (sandbag tested in our showroom at 2,000 lbs!)
  - Rubber gasket seals the top and bottom of the roof panels\*
  - Thick 16mm triple wall polycarbonate panels have UV protection directly in the panel material (opposed to film coating). Panels are fully enclosed in the framing for added strength
  - Stainless steel hardware, bolt/channel connection technology with metal connections and caps for visual appeal and integrity
- \*Denotes Exaco Exclusive Nelke PRO upgrades

### Additional Accessories for Nelke Pro 4


- **Foundation Frame** - C-Shaped Beam designed to be embedded into the ground to anchor the greenhouse without the need for cement. **#NelkePro4Base**
- **Optional decorative roof cresting is available** - Cast Metal 3D Roof Decoration **#Nelke4Finials**
- **Drop Door Kit** - designed for a 20" high knee wall. Will replace the door jamb frames with longer extrusions. Comes with polycarbonate header. **#NelkeDropDoor**
- **Top Shelf** - 10" W x 13'10" L - Aluminum framing with polycarbonate shelf surface. **#Nelke4Top**
- **Bottom Shelf** - 25" W x 13'10" L - Aluminum framing with polycarbonate shelf surface. **#Nelke4Bottom**



Nelke Ridge Decor



Nelke Drop Door Kit



Nelke Bottom Shelf



Riga XL 6 in Canada

## Hoklartherm Riga & Riga XL Greenhouses

- German engineering combines with superior materials to produce a commercial quality greenhouse for year-round growing
- Extra-wide 8-10mm twin wall (Riga) and 16mm triple wall (XL) polycarbonate glazing for advanced insulation & strength
- Exceptional wind & snow resistance due to the unique shape
- Do-It-Yourself assembly with US-based customer support 7 days/week plus assembly videos
- Oversized roof vents with automatic openers and a large Dutch-style door(s) with keyed lock
- Flexible installation/anchoring allow customization
- Structural certifications and drawings are available for permits for most models.
- Optional accessories: shelves, hooks, foundation, misting system, heater, exhaust fan/intake vent, drop door kit for stem wall installation, pro LED grow lights and more. See accessory page for details.



Cool weather greens growing happily inside a snow-covered Riga XL



Riga XL 6 with drop door kit on a stem wall



Riga XL 9



### Q: How do the automatic window openers work?

A: The automatic opener is powered by a piston filled with paraffin oil. As temperature creeps above 72 degrees, the paraffin begins to expand and pushes out the piston rod - causing the window to open. No electricity needed!

*"Winters in Maine are long and cold. Some lucky people get to be snowbirds and fly south to find warmth and lush green plants. But for the rest of us... it can be rough. My RigaXL has been my salvation. It is my sanctuary from the Wintertime Blues as well as the source of superb salads, tomatoes, peppers and herbs right up until it's time to get seedlings started in Spring. A series of severe storms that crushed neighbors' greenhouses over the past several years did not affect it at all. I am 110% satisfied with it - the only problem is that now I want another one!!"*

*- Miriam, Riga XL 6 owner*

# Riga Greenhouses

Available in two widths, Riga greenhouses have superior support and thick twin-wall polycarbonate glazing (8mm poly side walls/10mm poly gable ends) for better insulation. The large roof vents, big rear window, and split barn-style door (30" wide x 79" high) with lock provide plenty of ventilation. The unique shape allows snow to slide off and wind to blow over, making it suitable for a wide variety of climates and weather.

Each subsequent model number represents an additional section of polycarbonate panels.



Riga 5 on a Stem Wall with a Door Extension Kit



Riga 3s

### Riga S Series (7'8" width)

- Riga 2s** - 1 roof vent with auto opener  
7'8" W x 7' L x 7'1" H, 54 sq ft (#RIGA IIs)
- Riga 3s** - 1 roof vent with auto opener  
7'8" W x 10'6" L x 7'1" H, 81 sq ft (#RIGA IIIs)
- Riga 4s** - 2 roof vents with auto openers  
7'8" W x 14' L x 7'1" H, 108 sq ft (#RIGA IVs)




Riga 4 in Colorado



Riga 4 anchored with Foundation Frame

### Riga Series (9'8" width)

- Riga 3** - 1 roof vent with automatic opener  
9'8" W x 10'6" L x 7'7" H, 102 sq ft (#RIGA III)
- Riga 4** - 2 roof vents with automatic openers  
9'8" W x 14' L x 7'7" H, 135 sq ft (#RIGA IV)
- Riga 5** - 4 roof vents with automatic openers  
9'8" W x 17'6" L x 7'7" H, 165 sq ft (#RIGA V)



Riga 5 in the mountains



Produce growing in a Riga


# Riga XL Professional Series

German engineering creates an amazingly rugged, heavy-duty grower's greenhouse with a unique shape that withstands extreme wind and snow loads. The 16mm triple wall polycarbonate offers superior insulation for year round growing. Large roof vents (37.5" W x 39.5" H) and front and rear Dutch-style doors with locks (37.5" W x 74" H) provide needed ventilation. The Riga XL may be anchored to a concrete perimeter wall, slab, a 20" knee wall (with a drop door kit), or may anchor directly in the ground with a foundation frame (no concrete needed!). Optional accessories include shelves, benches, hooks, fans, vents, heaters, grow lights and more!

Please contact us if you are in an area requiring a permit for building. We have structural certifications and permit sets available. Extreme high load kit also available.



Overwintering tropicals in a Riga XL



Riga XL 6 mounted to wooden deck

**Riga XL 6** - 4 roof vents with automatic openers  
14' W x 19'10" L x 9'10" H, 280 sq.ft. (#Riga XL6)  
- Optional Foundation Frame (#RIGA XL 6 Base)

**Riga XL 9** - 8 roof vents with automatic openers  
14' W x 29'6" L x 9'10" H, 413 sq.ft. (#Riga XL9)  
- Optional Foundation Frame (#RIGA XL 9 Base)

*The following sizes are available by special order:*

**Riga XL 5** - 4 roof vents with auto openers, 14' W x 16'5" L x 9'10" H, 231 sq.ft. (#Riga XL5)

**Riga XL 7** - 6 roof vents with auto openers, 14' W x 23' L x 9'10" H, 322 sq.ft. (#Riga XL7)

**Riga XL 8** - 8 roof vents with auto openers, 14' W x 26'3" L x 9'10" H, 368 sq.ft. (#Riga XL8)



Riga XL in heavy snow



Riga XL 6 on a knee wall



Tomatoes growing in a Riga XL 9

## Cold Frames and Raised Beds

**BioStar 1500 Premium Cold-Frame (#Biostar 1500)** 8mm twin-wall polycarbonate for strength and better insulation. Includes 1 paraffin automatic opener. 5-year warranty. 59"L x 32"D x 16"/20" H

**Year-Round Cold-Frame (#Year-Round)** - For cold or warm weather. In summer, the 4mm twin-wall polycarbonate cover slides out to reveal a screen to protect from bugs, wind, and hail (screen comes assembled). 2-year warranty. 50" L x 23" D x 12" & 16" H

**Easy-Fix Double Cold-Frame (#CF120/100)** - 4 mm twin-wall polycarbonate to start your garden early. Lid on each side. Easy to assemble. 2-year warranty. Size: 48" L x 40" D x 12"/16" H.



*Biostar 1500*



*Year-Round*



*Auto Opener for the Biostar 1500*



*Easy-Fix Double*

## Combi Raised Beds - Customize to Your Needs!

The Juwel "Timber" Raised Bed/Coldframe combination is a perfect solution for tending a small garden while maintaining a raised position.


Extend your growing season! The cold frame and base both have thermal properties that help capture the maximum amount of warmth to start and sustain growth earlier/longer than normal. Includes two ventilator latches to open the cold frame lid in four different positions.

Easy-to-assemble injection-molded block wall structure is BPA-free high-grade polyethylene in a UV-protected Nordic weathered grey color. Raised bed is 51" x 24" x 24" H, cold frame is 50" x 12" x 15.75" H. Panels are 4mm twin wall polycarbonate. Made in Austria. (5-year warranty)

**Combi Raised Bed w/ Cold Frame #Combi RB+CF 20828**

**Cold Frame ONLY #20342**

**Raised Bed ONLY #20471**



*Combi Raised Bed /Cold Frame*



# Ergo Quadro Modular Raised Bed

*Let your creativity grow!*

Ergo Quadro Raised Beds come in a variety of shapes and sizes to be combined and stacked to fit your vision and height needs. The attractive wood-textured pieces are made from BPA-free polypropylene. Ergonomically designed for gardening at a comfortable height, the Ergo Quadro allows you to make a beautiful and customized focal point. From Graf in Germany, 5-year warranty.

- Small (square)** 24" x 24" x 10" H (#645115)
- Medium (rectangle)** 24" x 31.5" x 10" H (#645116)
- Medium Clear (rectangle)** 24" x 31.5" x 10" H (#645113)
- Medium Clear Cover/Cold Frame Topper (rectangle)** 24" x 31.5" x 10" H (#645111)
- Large (square)** 31.5" x 31.5" x 10" H (#645117)

\*\*Click together multiple sets for additional height!



**Flora Water Saving Device:** Specially designed tray buried midway down in a pot or raised bed to collect and store water for your plants' roots. Use full piece or cut into smaller 4" x 4" squares for small pots. Made from 100% recycled food-grade plastic. Made by Graf in Germany.

Pack contains 10-pieces each: 15" L x 3.75" W.



## How to fill your raised bed\*

It's important to fill the Ergo raised bed correctly to create the ideal growing conditions for your plants and flowers.

We recommend:

**Flower Planting Mix**  
Use good quality soil for best results.

**Mature Compost (~8")**  
Use compost or a mix of compost and soil.

**Garden soil/dirt (~4")**

**Green waste or peat moss (~4")**  
Use leaves, garden waste, pieces of turf, or grass cuttings.

**Tree & bush cuttings (~8")**  
Roughly chop to allow circulation for the breakdown of the layered material.

**Wire Screen**  
A wire screen on the ground can prevent pests.

\*Based on Ergo raised bed with a height of 29 1/2"



**Pathway Pavers:** Textured boards interlock to create sturdy paths and surfaces for gardens and outdoor areas. Anti-slip top surface for safe walking in wet conditions. Strong enough for any wheelbarrow. Set is 4 pieces: each piece: 27.5" L x 9.5" W x 1" deep. Set covers: 1.8 sq.ft. Made in Germany from recycled plastic.



## Hexagonal Modular Raised Beds

*Create your own garden arrangement!*



Combine sets to make it your own! Beautiful, sturdy, wood-textured components are UV and moisture-resistant; no sealing or painting needed! Recycled BPA-free plastic from Germany. 5-year warranty.

**Basic Kit**(#645100) has (6) 21.5" L x 10" H panels

**Extension**(#645101) lengthens basic kit by 21.5"

**Clear basic kit** (#645130) adds wind protection level or use as a raised bed



**XL Modular Raised Bed** - Hexagon shape 10" high - Extend the height or length! Basic set consists of six 30" long and 10" high panels. Combine sets to raise the height. Use an extension set to lengthen the basic set by 21.5". Beautiful wooden texture on the sturdy plastic components that are UV and moisture resistant. Made in Germany of recycled plastic. 5 year warranty. Single set assembled is 57" x 57" x 10" H. (point to point) (#645108)

**XL CLEAR Growth Raised Bed** - Single Layer - Hexagon shape 10" high. May be used at a top level on standard model for wind or animal protection or use on its own. Extend the height or length! Basic set consists of six 21.5" long and 10" high panels. Combine sets to raise the height. No length extender is available for clear raised bed. UV and moisture resistant. Made in Germany of recycled plastic. 5 year warranty. Single set assembled is 57" x 57" x 10" H. (point to point) (#645131)


### Balcony Raised Bed Planter

This convenient wood-look planter is perfect for small spaces. Drainhole at bottom allows hose attachment to direct water (not included, holes must be drilled out). Interior is 27" L x 12" W x 10" D.

**Balcony Raised Bed Planter** 12.8 gal capacity, Assembled planter is 29.5" W x 14.5" D x 26" H. (#645140)

**Optional Protective Cover for frost/watering**- 29.5"L x 14.5" W x 8.5"H (#645141)

**SET: Balcony Raised Bed Planter w/Cover** (#645140/1)





## The Aerobin Composter

**Aerobin Insulated Composters** - The very best consumer composter on the market today! Patented aeration lung system makes it quick and easy - no turning required! Just drop kitchen and yard waste at the top and later remove through the bottom access doors. Insulated walls and lid. To support year-round aerobic composting. Collect leachate at the bottom to dilute for compost tea. Now in two sizes!

### Aerobin 200 (Green)

20" W x 20" D x 46" H (#Aerobin 200)

### Aerobin 400 (Green)


29" W x 29" D x 47" H. (#Aerobin 400)




Leachate Hose w/ external tap to make draining your leachate easier!



Scan the code to see a video on the Aerobin Composters!



## BPA-Free Compost Bins



- 1) **Ms.Tumbles® Compost Tumbler:** 130 liters/35 gal. Ball tumbler on a sturdy stand - with leachate drain hose with control valve. This new design tumbler is perfectly suited for small yards - simply turn this bin and waste is mixed easily. Large access door for easy loading and unloading. Made from recycled plastics. Made in China.
- 2) **Mr.Spin® Compost Tumbler:** 160 liters/43 gal. Two compartments keep fresh organic waste from older matter - separation makes better compost. This popular tumbler is easy to use and well-suited for small yards. Simply turn and waste is mixed easily. Includes a thermometer. Black access doors and metal stand. 22.8" L x 22.4" W x 37" H. From China. (#Mr. Spin)
- 3) **AeroQuick Composter** - Made from 5mm thick heavy-duty BPA-free plastic to last 10 to 15 years. They are 50-100% thicker than similar composters - strong enough to stand on! Comes with locking lid and two bottom access doors to remove compost. Open bottom. Available in 2 sizes. From Juwel of Austria.  
**AeroQuick 187 gal.** (#AQ 187) - 37" x 37" x 43" H  
**\*Includes soil grid\***  
**AeroQuick 77 gal.** - (#AQ 77) - 28.4" x 28.4" x 31.5"H
- 4) **Aeroplus 6000 3-stage composter.** A heavy-duty, easy-to-operate three stage composter. Simply turn the crank handle and the waste drops from the 2nd to the 3rd chambers, in the process both chambers get mixed. The top chamber is relatively airtight designed to keep flies out. From Juwel in Austria. Capacity: 140 gals.  
 Size: 31" x 31" x 43" H. (#Aeroplus 6000)
- 5) **ECO-Master Composter** - Basic composter in black, side walls snap together, large top lid, 2 doors at the bottom. Open bottom. Made from 100% recycled PP, 2.1 mm thick walls. From Graf in Germany. Available in two sizes.  
**Eco-Master 300 (#628000)** - 80 gal. black, 24" x 24" x 35.5" H.  
**Eco-Master 450 (#628001)** - 120 gal. black: 27" x 27" x 40" H.
- 6) **Bio 600 Composter** - 160Gal composter with small holes to maximize airflow. 4mm wall thickness built to last even in cold winters. Neutrel grey color with yellow handle. Will come with a soil fence included to keep pests out. From Juwel in Austria.  
 Size: 30" x 30" x 39" H.  
**#Bio600**

**Soil Fences** - Keep vermin and other intruders from getting into your compost from underneath.  
**#GRAFSoilFence** is BLACK and is 38" x 38"  
**#JUWELMouseGrate** is GREEN and is 33" x 33"



### Q: Why do many of your composters have an open bottom?

A: Microorganisms help digest your compost and make it richer. An open bottom allows the compost to have contact with the ground so these beneficial microorganisms can assist you in composting. A soil fence accessory is available to prevent tunneling rodents from reaching your compost.

## BPA-Free Compost Bins

**ECO-King Composter** - Basic composter in green, a step up from the Eco Master, side walls snap together, large double lid, two latching access doors at the bottom. Open bottom. Made from 100% recycled PP, 2.3 mm thick walls. Size: 28" x 28" x 33" H. From Graf in Germany.

**ECO-King 400 (#627003)** - liters/110 gal. green, 28" x 28" x 33" H:

**ECO-King 600 (#627001)** - liters/160 gal. green, 31.5" x 31.5" x 37.5" H

**Thermo Wood Composter** - A high-end composter bin from Graf, it looks like real wood grain. The Thermo Wood has a very large top opening covered with two hinged lids and features two bottom access doors on opposite sides. The side walls have hidden air holes for better ventilation and compost production. The 4.2mm thick PP plastic (mostly recycled) features Thermelon (air pockets for better insulation). This open-bottom composter also includes a Soil Grid to prevent tunneling rodents. Size: 31.5" x 31.5" x 39.5" H - 40 lbs. (#626051)

**Thermo King 900** - 240 gal. giant composter. Made with Thermelon with air pockets for better insulation and 4.2 mm thick PP plastic (mostly recycled material). The Thermo King is stronger and more durable than standard composters. Side walls hook together. Very large top loading doors and two large bottom access doors for easy compost removal. Size: 40" x 40" x 40" - 240 gal. From Graf in Germany. (#ThermoKing 900)

**Thermo Star 1000** - 267 gal. Jumbo Composter. Made with Thermelon with air pockets for better insulation and 4.5 mm thick PP plastic (mostly recycled material). This is a step above the Thermo King - the six side walls are held together by thick rods. Has top-loading doors and two bottom wall sections that can be opened for easy compost removal. Size: 50" x 50" x 41" H - 267 gal. From Graf in Germany. (#Thermo Star 1000)




**2-N-1 Kitchen Compost Bucket** - Perfect size to sit on the kitchen counter. Lift-off lid comes with clear rubber gasket to limit odors. Use handle on inner plastic bucket to carry scraps to your composter. Available in 4 colors: White (#CPBW01), Oatmeal (#CPBS01), Matte Silver (#CPBS04) or Stainless Steel (#CPBS03) Size: 10" W x 7.5" D x 10" H, 1 gallon capacity.

**ECO 2000 Kitchen Compost Pail** - Our #1 item! Hinged lid with replaceable carbon filter. Place on counter or hang with 2 screws/hooks (not incl.) inside a cabinet. Made in Canada. 2.4 gal., 8.5" x 9" x 11"H. (#ECO2000)

**ECO 2500 Replacement Filters for ECO 2000** - Replace carbon filters every three months. Pack of 3 filters. (#ECO 2500)

**Replacement Filter Holders for ECO 2000** - Replace lost filter holders for your ECO 2000. Comes with extra filter included. (#ECO 2000 Filter Holder)



# Rain Barrels by Graf

## What makes GRAF rain barrels better?

- ▶ Water quality - closed top and multi-layer construction protects your rainwater from sunlight so there is no water degradation/algae growth.
- ▶ UV stable, they are made from the highest grade of BPA-free plastic.
- ▶ All tanks include a spigot at a perfect height for a watering can.
- ▶ Universal Downspout Connection Kit (rectangular/circular) is available and makes installation easy.
- ▶ Weather resistant and winter proof - leave tap open in freezing weather.
- ▶ Closed system to keep out mosquitoes.
- ▶ Made in Germany and come with a manufacturer's warranty

A)



**A. Slim Stone Decor Tank**

Grey - 87 Gal - #211811

**B. Amphora Barrel**

Terracotta

63 Gal - #21170

80 Gal - #211701

133 Gal - #211702

**C. Terranova Oval Tank**

Grey - 73 Gal - #212120

**D. Sunda Wicker Barrel**

Grey - 80 Gal - #212100

**E. Vino Rain Barrel**

Dark Brown - 110 Gal - #295631

**F. Arondo Tank**

Grey - 66 Gal - #295650

**G. Madera Rain Barrel**

Dark Brown - 58 Gal - #295631

**H. Vaso 2n1 Barrel**

Grey - 58 Gal - #295640

**I. Antique Amphora Barrel**

Terracotta - 158 Gal - #211512

**J. Wave Barrel**

White - 92 Gal - #326150AW

**K. Stone 2n1 Tank**

Silver - 93 Gal - #326140

Lava - 93 Gal - #326141

**L. Linus 2n1 Tank**

Grey - 58 Gal - #326170

**M. Quadro Tank**

Grey - 45 Gal - #295670

Grey - 132 Gal - #295685

**N. CUBUS Garden Tank**

Grey - 264 Gal - #326041

**O. Top Tank**

Green - 345 Gal - #323001

B)



C)



D)



F)



G)



E)





H)



I)



J)



K)



L)



M)



N)



O)

**Accessories for Rain Barrels**

Quick-Flow Tap



Brass Tap



Universal Connector  
(Round or Square)



Universal Hose Set



## Fiber Clay Planters and Urns

Lightweight, attractive, and very durable. Made from 70% clay, 25% recycled polyester resin and 5% non-toxic binders. Can withstand temperatures down to 0° F.

**Speckled Gray Hanging Planter** Round hanging planter includes rubber push-out plug for indoor or outdoor use. 13.5" dia x 6.75" h, 3 gal. capacity. | Three ropes - each 16". (#FM-HBG13)



**Imperial Urn- set of 2 -Antique Copper** - Small urn with an appealing rubbed antique copper finish. Easy to move plants to safety during winter freezes. 4-pieces push securely together. Size: 11.5" D x 14" H; 1 gallon capacity; Inside: 7" dia x 7.5" deep. Includes rubber push-out plug in bottom of planter for optional drainage. (#FM-UrnC)



**Woven Medium Square Planter (set of 2)** - Washed sandstone with rubbed tint to accent woven detailing. Includes rubber push-out plug in planter to allow indoor or outdoor use. Made from FiberClay. Size: 11.5" x 11.5" x 9.5" h. 3.5 gallon capacity. (#FM-SBWP)



**Speckled White Medium Large Round Planter** - Larger size works for a wide variety of plants. Includes rubber push-out plug in bottom of the bowl so planter can be used either indoors or outdoors. Made from FiberClay. Size: 13" tall / 17" dia., 10 gallons (#FM-WP17)



**Sandstone Ringed Medium Planters (set of 2)** Neutral washed sandstone color to coordinate well. Includes rubber push-out plug in bottom of the bowl so planter can be used either indoors or outdoors. Made of Fiber Clay. 13.5" dia. / 11.5" tall, 4.5 gallon capacity. (#FM-RRP)



**Patio Table in Charcoal Grey** - Table made from FiberClay - lightweight and durable. Made from Endura clay, recycled polyester resin and non-toxic organic binders. Designed to withstand freezing temperatures. Made out of 3 pieces. No tools required. Pedestal may be filled with sand for added stability. 32" D x 29" H (#FM-810)



### Q: What is Fiber Clay?

A: Fiber Clay is made from 70% finely pulverized clay/earth, 25% recycled polyester resin, and 5% non-toxic organic binders. Fiber clay is injection molded to create attractive and detailed pieces that are durable and lightweight. These planters make it easy to move plants indoors during freezing temperatures if desired. Fiber Clay is safe outdoors to 0° F.



**Speckled Gray 3-Piece Planter Set** Lightweight and easy to move as needed. Includes rubber push-out plug in planter for indoor or outdoor use. Made from FiberClay. (#FM-Pot3G)


Set includes 3 sizes:  
 - 8.5" dia x 7" h; 1.25 gallons  
 - 11.5" dia x 8.75" h 2.5 gallons  
 - 14.25" dia x 11.5" h 5.5 gallons



## Calypso Self-Watering Planter

This unique planter has a 2.5 gal. reservoir with double bottom for self-watering. The water level indicator lets you know when to water! Includes 4 wheels, 2 lock to keep the planter in place. Trellis provides privacy and growing support. May be used outdoors or indoors (does not leak). Assembled size: 31"W x 13.5" D x 53" H. Made in Germany.

Available in Green (#1.416Green), White (#1.416) or Anthracite Grey (#1.420Grey).



## Clothes Dryers from Jewel of Austria

Innovative and easy-to-use clotheslines for indoor and outdoor use - making it simple to dry delicates, comforters, and other laundry naturally. Anodized aluminum makes the dryers easily-portable, but also very strong, durable and corrosion-resistant. The compact form and versatility make them ideal for small spaces and urban living.



### Novaplus 500 Rotary Clothesline


High-quality clothesline with 140 feet of line to hold up to 2-3 laundry loads. The Novaplus opens and folds up easily with a one-hand lever. The cover retracts automatically during opening to keep lines clean between uses. Comes with ground socket for simple installation and 5 year warranty (excludes cover). Open: 76" x 76" x 80" H.



**(#Novaplus Easy 500)**  
Replacement Cover Available **(#NovaPlus Cover)**

### Universal Ground Socket

Holds most umbrellas and/or rotary clotheslines, volleyball nets, beach umbrellas, etc. Adjustable rings allow for perfect diameter fit. Comes with aluminum "handle" to drill socket in to the ground. Ends up perfectly flush with the ground. Lawn mower safe. Fits: 5 different tubes 1.25" - 2.2" diameter. **(#30026)**



**TWIST Free-Standing Dryer** Folds to carry outside while loaded and collapses completely (3" wide x 2" deep) to hang on included wall bracket. 45' of line. The Twist may also be used over a tub against the wall. Anodized aluminum and polyamide plastic parts; strong but very lightweight. **(#Twist)**



### Samba Clothes Dryer

Folding rotary rack for hang-drying clothes. Designed to attach from a ceiling to fold up and keep out of sight when not using. Material is industrial aluminum with polyamide plastic parts. 62 feet of clothesline. Open dimensions are 60" x 32" and can lower down to 48". Weights 10 lbs. **(#Samba)**

# Elegant Concrete Fountains from Indonesia

Create a special space in your garden or patio with one of these stunning fountains. Beautiful designs paired with the relaxing sound of moving water will create your own special oasis. These elegant fountains are strong and durable as well - crafted from glass-reinforced concrete (GRC). This is a mix of 90% concrete and 10% fiberglass which adds strength to the piece. Pump is included and varies by size of the fountain.

## Wagon Wheel Fountain - Medium

Three cascading ledges pour onto the surface and collect at the bottom. This is a great fountain for water plants in the bottom reservoir. Fountain is 39" x 31" x 45" high, base is 10" high. Wheel Diameter is 36". Weighs 838 lbs. Pump size - 925 gallons.

Two colors available:

Rust: L250-R

Charcoal: L250-C



## Illuminated Trio Bowl

Three cascading bowls with 3-piece LED light to illuminate the beauty. Fountain is 39" x 39" x 47", base is 10" high. Weighs 388 lbs. Pump size is 608 gallons.

Three colors available:

Rust: TB100-R

Grey: TB100-G

Slate - TB100-S




## Illuminated Cigar Fountains

Water flows from illuminated large vessel and down the contoured sides to the bottom reservoir. Includes (1) White LED Light. Fountain is 28" x 28" x 39" high, base is 10" high. Weighs 370lbs. Pump size - 396 gallons.

Two colors available:

Rust: L130-R

Charcoal: L130-C



## Buddha Bowl Fountain

Foster your inner peace with this calming Buddha fountain. Water flows from hands into main basin. Fountain is 24" d x 25" high, base is 7" high. at the base. 25" Tall. Weighs 146lbs. Pump size - 132 gallons.

Two colors available:

Rust: BBF01-R

Slate: BBF01-C

## Cascade Fountain

Six cantilevered ledges cascade from one to the next and pool in the base to create a water soundscape.

Fountain is 26" x 26" x 71" high, base is 10" high. Weighs 366lbs. Pump size - 396 gallons.

**Three colors available:**

**Rust: D160-R**

**Charcoal: D160-C**

**Slate: D160-S**



## Ying Yang Fountain

Six cantilevered ledges cascade from one to the next and pool in the base to create a water soundscape. Fountain Base is 24" x 24" x 9" high, pillar is 41" high. Weighs 309lbs. Pump size - 396 gallons.

**Two colors available:**

**Rust: YY200-R**

**Slate: YY200-S**



Scan the QR code to view a playlist for all of our fountains!



## Luna Bowl - Medium Illuminated

Medium-sized orb creates a focal point in any yard. Water bubbles from top and cascades down the orb. Includes (1) white LED light. Fountain base is 30" x 12". Ball diameter is 22" x 24" high. Weighs 337bs.

Pump size - 291gallons.

**Two colors available:**

**Rust: MLB01-R**

**Slate: MLB01-s**



## Luna Bowl - Large Illuminated

Large orb creates a focal point in any yard. Water bubbles from top and cascades down the orb. Includes (1) white LED light. Fountain is 39" x 39" x 41" high, base is 10" high. Ball diameter is 31". Weighs 615lbs. Pump size - 396 gallons.

**Two colors available:**

**Rust: L140L-R**

**Charcoal: L140L-C**





## Monaco Fountain

Classic free-standing pedestal fountain is beautiful on it own or placed in a pond. Fountain is 42" diameter x 67" high. Weighs 615lbs. Pump size - 392 gallons.

**Three colors available:**  
**Rust: MFS001-R**  
**Charcoal: MFS001-C**  
**Slate: MFS001-S**



## Moon Pot Fountain

Low profile illuminated fountain provides an open base for water plants or wildlife. Includes (1) White LED Light. Fountain is 39" x 39" x 24" high, base is 10" high. Weighs 472lbs. Pump size - 396 gallons.

**Two colors available:**  
**Rust: L850-R**  
**Charcoal: L850-C**



## Frog in the Pond Fountain

Add some whimsy and wildlife with these charming frogs. Includes (1) White LED Light. Fountain is 39" x 39" x 39" high. Base is 19" x 19" x 12" high. Weighs 377lbs. Pump size is 608 gallons.

**Two colors:**  
**Rust: L550-R**  
**Slate: L550-R**



## Laguna Falls Wall Fountain

Vertical fountain creates a cascading water wall. Bottom reservoir works for water plants. Fountain is 33" x 18" x 73" high, base is 10" high. Weighs 328lbs. Pump size is 608 gallons.

**One color available:**  
**Charcoal: L450**





## Aqua Falls Fountain

Classic free-standing pedestal fountain is beautiful on it own or placed in a pond. Fountain is 35" high. Fountain base is 43" diameter x 19" high. Weighs 545 lbs. Pump size - 392 gallons.

**Two colors available:**

**Rust: AQ100-R**

**Charcoal: AQ100-C**



## Amphora Fountain

Low profile illuminated fountain provides an open base for water plants or wildlife. Includes (1) White LED Light. Fountain is 39" x 39" x 24" high, base is 10" high. Weighs 472lbs. Pump size - 396 gallons.

**Two colors available:**

**Rust: IB100-R**

**Charcoal: IB100-C**

## Aquarius Fountain Medium (Illuminated)

Sleek pedestal fountain includes (1) white LED strip. Fountain is 28 x 28 x 33" high, base is 10" high. Weights 278 lbs. Pump Size is 396 gallons.

**Two colors available:**

**Rust: NU100M-R**

**Slate: NU100M-S**



## Zig Zag Copper Wall Fountain

Vertical fountain creates a cascading water wall. Bottom reservoir works for water plants. Fountain base is 31" x 16" x 9", Fountain is 63" high. Weighs 322 lbs. Pump size is 396 gallons.

**Two colors available:**

**Rust: C800-R**

**Charcoal: C800-C**



## Infinity Fountain

Soft flowing lines and a tranquil, modern silhouette give the Infinity fountain a soothing presence in any outdoor setting. Water flows gently from the top and glides in a continuous, peaceful ribbon across each curved surface, creating a calm ambiance that settles beautifully into the landscape. Fountain is 47" x 20" x 10" at the base / 33" high. Weighs 531 lbs. Pump size – 608 gallons.

**Two colors available:**

**Rust: L1000M-R**

**Charcoal: L1000M-C**



## Trevi Fountain

Two cantilevered ledges pour water into main vessel. Includes (1) large white LED Strip. Fountain is 31" x 31" x 53" high, base is 10" high. Weighs 608lbs. Pump size is 396 gallons.

**Two colors available:**

**Slate: L160-S**

**Rust: L160-R**



## Original Eclipse Medium

Assymetrical fountain adds interest as water flows from ledge to ledge to bowl and reservoir. Fountain is 35" x 28" x 45" high, base is 10" high. Weighs 531lbs. Pump size is 291 gallons.

**Two colors available:**

**Rust: L1000M-R**

**Charcoal: L1000M-C**



### Q: Are the fountains frostproof?

A: No - when freezing temperatures arrive, the fountain will need to be emptied of water, the pump removed and the fountain covered for protection - similar to other outdoor items in the winter.

### Q: What maintenance is required?

A: The water will get dirty over time, but a pond/algae treatment will help keep it clean and sparkling.

## New Eclipse - Medium

Asymmetrical fountain creates added interest as water flows between multiple ledges to a bowl and finally to the reservoir below. Fountain is 35" x 28" x 45" high, base is 10" high. Weighs 531lbs. Pump size is 291 gallons.

**Two colors available:**

**Rust: L2000M-R**

**Charcoal: L2000M-C**

### Q: Will the pump clog?

A: The pump can get debris in it - it is recommended to clean the fountain and pump when debris builds up. A cleaning every three months is usually sufficient, but conditions do vary.



Made in the UK!

INSULATED & DOUBLE GLAZED  
QUICK INSTALLATION - PARTIALLY ASSEMBLED  
EASY SITE PREP - ZERO MAINTENANCE  
10 YEAR WARRANTY  
[www.nordicgardenbuildings.com](http://www.nordicgardenbuildings.com)

## THE MADISON ►

11' x 11' x 8'10" H Exterior  
10'2" x 10'2" Interior

- Two PVC-u steel reinforced sliding patio doors with multi point locks and double-pane insulated low E glass
- Two Walls are Powder Coated Aluminum Composite Insulated Wall Panels
- Includes base, cover and vinyl flooring
- Roof is 25mm Multiwall Polycarbonate with aluminum capping



## ◀ THE GREENWICH

18' x 10'2" x 9'1"  
(Internal: 13'1" x 9'2"  
plus 4' x 9'2" shed extension)

- Roof features well insulated 25mm multiwall polycarbonate with exterior tile effect and white textured interior, aluminum capping and GRP integrated gutter system with downpipes
- Walls are 28 mm thick insulated aluminum panels
- 28mm double pane insulated Low E glass in windows and doors
- Double sliding doors with multi-point locks and vent window
- Shed has single hinged door with multi-point locks
- Includes Nordic ECO base, cover, and vinyl flooring



## THE MELBOURNE ►

13'8" x 13'8" x 10'5" high  
(Interior of each wall panel is 5'3")

- Insulated 25mm multiwall polycarbonate roof with exterior tile effect and white textured interior, aluminum capping & GRP integrated gutter system
- 28mm double pane insulated Low E glass with chrome Georgian glazing bars in windows & doors
- 28mm thick insulated aluminum panels
- Hinged double doors with multi-point locks
- Four lockable roof vents
- Includes Nordic ECO base, cover, and vinyl flooring



## The Kota Scandinavian Cabin

This Scandinavian-inspired cabin is great to gather with friends, enjoy your backyard or even camp out like hunter fishermen! With an octagonal footprint and dramatic roof slope, this cozy and magical space has room for 25 adults. Made in Lithuania from high quality, dried rounded pinewood boards with 1.5" thick tongue & groove walls, 4 double-pane glass windows that open, dutch door, and 15-year prof. shingles.

250 sq. feet; Dims: wall diam: 19' 4", roof diam: 20' 4", 15' 3" high. Side walls are 48" high. No furnishings included.


SHIPS IN 2 LARGE CRATES - FORKLIFT NEEDED TO UNLOAD.



## Felix Sandbox with Adjustable Roof

Roof provides shade while the children play and lowers to keep out animals and rain. From GASPO in Austria - Made from PEFC certified spruce/pine wood treated with water based child-safe stain - UV 50+ stabilized roof. Sandbox: T.U.V. & Bureau Veritas approved. (no floor so sand can be rinsed and water drain out) 40" x 40" x 51" H (#FELIX)





## The Bali Gazebo

Entertain in a whole new way - or just lounge in private luxury. This exquisite gazebo is handcrafted in Bali of the highest quality Bangkirai wood. The elevated floor, mosquito netting and LED lighting create an intimate and comfortable setting for up to eight adults - or two people fully-reclined in utter bliss.

### Includes:

- (2) 8' long benches with cushions, pillows, bolsters, and coffee table
- Roof material, cushions, pillows, and bolsters are made from Sunbrella acrylic material with a 5-year warranty
- Roof construction has two layers for excellent ventilation while fully-functional mosquito netting attaches at the top peak for the best protection (gathers at the posts when it is not in use)
- LED lighting creates a warm ambience

### Specifications (#BG 10):

- 10' x 10' x 12'8" H, 100 sq ft footprint
- Roof is 15' x 15', 225 sq ft roofprint
- Benches are 8'3" L x 21.75" D x 20" H with 4" high cushion
- 10 total pillows (20" x 20")
- Coffee table is 57" L x 20" W x 22" H
- Made from sustainably harvested wood - FSC Certified
- May be placed on level ground - does not require concrete slab
- Can withstand wind loads of 80 mph



Larger 13' x 13', 169 sq ft footprint (#BG 13) available by special order





New Riga 4 Black with clear front and black frame



New expanded line of fountains!  
Infinity fountain shown

# EXACO<sup>®</sup>

Cultivating a Joyful Connection to Nature!

16001 Impact Way Pflugerville, TX 78660  
customerservice@exaco.com  
(512)407-8500  
www.exaco.com



Moon Pot Fountain



**New!** Riga 4 Black features black powder coated frame, clear front, and decorative finials!